



# FISSAGE CAV

Cable Fixing  
Fixation des Cables  
Kabeln Befestigung

# Self extinguishing Cable ties

DISEGNO DRAWING DESSIN ZEICHNUNG	MATERIALE MATERIAL MATERIEL WERKSTOFF	TEMP. ESERCIZIO OPERATION TEMP.  T. min / T. max	TENUTA ALLA FIAMMA FLAME RESISTANCE	L	S	Ø	Kg	REF.	PCS				
				mm	mm	mm	mm						
	<b>PA 66 V2</b>  <b>Bianco</b> White Blanc Weiß	-40°C  +85°C	<b>UL 94 V2</b>	72	2.2	15	7	46.21100	100				
				98	2.5	20	8	46.21110	100				
				135	2.6	25	8	46.21120	100				
				200	2.6	50	8	46.21130	100				
				140	3.6	30	13	46.21140	100				
				290	3.6	75	13	46.21150	100				
				160	4.5	36	18	46.21160	100				
				178	4.8	40	22	46.21170	100				
				200	4.8	50	22	46.21180	100				
				250	4.8	62	22	46.21190	100				
				290	4.8	75	22	46.21200	100				
				360	4.8	100	22	46.21210	100				
				120	7.8	20	54	46.21220	100				
				240	7.8	50	54	46.21240	100				
				365	7.8	100	54	46.21260	100				
					<b>PA 66 V2</b>  <b>Nero</b> Black Noir Schwarz	-40°C  +85°C	<b>UL 94 V2</b>	72	2.2	15	7	46.21400	100
								98	2.5	20	8	46.21410	100
135	2.6	25	8					46.21420	100				
200	2.6	50	8					46.21430	100				
140	3.6	30	13					46.21440	100				
290	3.6	75	13					46.21450	100				
160	4.5	36	18					46.21460	100				
178	4.8	40	22					46.21470	100				
200	4.8	50	22					46.21480	100				
250	4.8	62	22					46.21490	100				
290	4.8	75	22					46.21500	100				
360	4.8	100	22					46.21510	100				
120	7.8	20	54					46.21520	100				
180	7.8	40	54					46.21530	100				
240	7.8	50	54					46.21540	100				
300	7.8	77	54					46.21550	100				
365	7.8	100	54					46.21560	100				
450	7.8	125	54	46.21570	100								
540	7.8	150	54	46.21580	100								
750	7.8	200	54	46.21590	100								

DISEGNO DRAWING DESSIN ZEICHNUNG	DESCRIZIONE DESCRIPTION DESCRIPTION BESCHREIBUNG	MATERIALE MATERIAL MATERIEL WERKSTOFF	L mm	S mm	Ø mm	Sp. mm	REF.	PCS
	<p><b>Fascetta riapribile e ripristinabile</b> Releasable and reusable tie Collier de serrage ouvrable Wiederlösbares Kabelband</p>	<p><b>PA 66 V2 - UL94</b></p>	<p>140 100</p>	<p>6.5 6</p>	<p>6÷35 2÷16</p>	<p>0.6÷2 0.6÷1.5</p>	<p>46.21051 46.21052</p>	<p>200 200</p>
	<p><b>Fascette in nylon per fissaggio cavi e tubi</b> Nylon fixing hose clamps for cables and tubes Collier de serrage en nylon pour cables et tuyaux Nylon Schellen für Kabel und Schläuche</p>	<p><b>PA 66</b></p>	<p>19.8 22 22 24 31 34.3 35 43</p>	<p>9.6 10 10 12 12 12 12 12</p>	<p>4.8 6.35 7.9 9.5 12.7 15.8 19.4 25.4</p>	<p>- - - - - - - -</p>	<p>46.12110 46.12120 46.12130 46.12140 46.12150 46.12160 46.12170 46.12180</p>	<p>100 100 100 100 100 100 100 100</p>